



Industrial Cable Reels - BS



KISTENMACHER Cable Reel

- cable reel body made of rust-resistant and galvanized steel
- with 3 x BS socket outlets 240 V with self-closing cover providing protection against dust and contamination
- ergonomic handle and axle for precision cable management when winding and unwinding
- with safety cut-out protection



Art. No.	cable	length	dia
1198057	H05VV-F 3G1,5	25 mtr	290 mm
1198067	H05VV-F 3G1,5	50 mtr	290 mm

galvanized steel body



Garant Cable Reel

- cable reel body made of rust-resistant and galvanized steel
- with 3 x BS socket outlets 240 V with self-closing cover providing protection against dust and contamination
- ergonomic handle and axle for precision cable management when winding and unwinding
- with safety cut-out protection



Art. No.	Art. No.	cable	length	dia
1198057900	1198053	H05VV-F 3G1,5	25 mtr	240 mm
1198067900	1198063	H05VV-F 3G1,5	50 mtr	290 mm

Art. No.	extra heavy-duty cable	length	dia
1198113	H05VV-F 3G2,5	20 mtr	240 mm
1198093	H05VV-F 3G2,5	40 mtr	290 mm


all types come with a galvanized steel tube frame and steel body

available with:

- 3 x BS socket outlets only

or

- 3 x universal socket system, allows to plug-in BS, US and Euro / Schuko-Plugs



Art. No.	Art. No.	cable	length	dia
1218057900	1218053	H05VV-F 3G1,5	25 mtr	240 mm
1208067900	1208063	H05VV-F 3G1,5	50 mtr	290 mm

Art. No.	extra heavy-duty cable	length	dia
1208113	H05VV-F 3G2,5	20 mtr	240 mm
1208123	H05VV-F 3G2,5	40 mtr	290 mm

optionally available on request

with heavy duty 2,5 sqmm PVC cable (red colour)

- in order to avoid power drops, suitable for generators, high pressure cleaners, welding machines e.g.

all types come with a break-resistant plastic body fitted to a galvanized steel tube frame

Industrial Cable Reels - BS

Garant Bretec Cable Reel

with the unique Bretec anti cable twist system


- with 3 x BS socket outlets 240V with selfclosing cover providing protection against dust and contamination
- ergonomic handle and axle for precision cable management when winding and unwinding
- with safety cut-out protection



Art. No.	cable	length	dia
1198867	H05VV-F 3G1,5	50 mtr	290 mm



galvanized steel body



without Bretec

with Bretec

NEW
CABLEPILOT

Art. No.	cable	length	dia
1208853	H05VV-F 3G1,5	25 mtr	240 mm
1208863	H05VV-F 3G1,5	50 mtr	290 mm



break-resistant plastic body



Super-Solid Cable Reel

- extra stable steel tube frame with new, exclusive stability
- exceptional robust carry handle with comfortable cable guide
- galvanized steel tube frame
- with 3 x BS socket outlets 240V with self-closing cover providing protection against dust and contamination
- with safety cut-out protection
- ergonomic handle and axle for precision cable



Art. No.	cable	length	dia
1309453	H05VV-F 3G1,5	50 mtr	290 mm



galvanized steel body,
galvanized frame



Art. No.	cable	length	dia
1308953	H05VV-F 3G1,5	50 mtr	290 mm



break-resistant plastic body,
galvanized frame



Industrial Cable Reels - BS

Vario Line Cable Box


- housing made of break-resistant plastic
- practical carrying handle
- twin feet ensure excellent stability
- easy to wind and rewind
- with safety cut-out protection, 240 V

available with:

- 3 x BS socket outlets

or

- 3 x universal socket system, allows to plug-in BS, US and Euro / Schuko-Plugs



cable-management
earthed sockets connected to separate phases



Art. No.	Art. No.	cable	length	colour
1098207900	1098203	H05VV-F 3G1,5	5 mtr	blue / black
1108567900	1108563	H05VV-F 3G1,5	10 mtr	blue / black
	1108903	H05VV-F 3G1,5	15 mtr	blue / black
	1093203	H05VV-F 3G1,5	10 mtr	black/black
	1094203	H05VV-F 3G1,5	15 mtr	black/black
	1108553	H05VV-F 3G1,0	10 mtr	grey / black
	1108203	H05VV-F 3G1,0	20 mtr	grey / black

Primera-Line Cable Box

- compact design for comfortable handling
- with a universal handle for both carrying and hanging
- variable use, upright or flat
- robust, rigid construction
- with self-closing cover providing protection against dust and contamination
- with safety cut-out protection
- with 3 x BS socket outlets 240 V



Art. No.	cable	length	colour
1095453	H05VV-F 3G1,5	10 mtr	black /



robust and rigid construction

Comfort Line Cable Box CL-S

- ergonomic design with a functional and practical rewind ring for easy handling
- with 3 x BS socket outlets 240 V
- with self-closing cover providing protection against dust and contamination
- with safety cut-out protection



Art. No.	cable	length	colour
1109123	05VV-F 3G1,25	3 mtr	black/white

Art. No.	cable	length	colour
1109233	05VV-F 3G1,5	3 mtr	black/blue
1109223	05VV-F 3G1,5	3 mtr	black/white



break-resistant plastic body



Industrial Cable Reels - BS



Compact Cable Reel AK 180

- reel body made from break-resistant plastic, galvanized frame
 - portable and light - lots of cable taking up little space
 - with safety cut-out protection
 - ergonomic handle and axle for precision cable
- available with:**

- 3 x BS socket outlets or 3 x universal socket system, allows to plug-in BS, US and Euro-Plugs

Art. No.	Art. No.	cable	length	dia
1078187900	1078183004	H05VV-F 3G1,5	15 mtr	180 mm



break-resistant plastic body, galvanized frame

Garant S Compact Cable Reel

- reel body made from rust-resistant and galvanised sheet steel fitted to a particularly sturdy galvanised steel tube frame
- with 3-way socket outlet 13 A BS with self-closing cover providing protection against dust and contamination
- ergonomic handle for comfortable carrying
- with thermal cut-out protection against overheating

Art. No.	cable	length	colour
1072933	H05VV-F 3G1,5	15 mtr	Black cable



Rubber Cable Reel X-Gum

- compact and robust lightweight with integrated carrying handle
- reel body made of a special rubber mixture for long-term load bearing
- unbreakable, impact resistant, aging and weather resistant
- resistant to a variety of oils, greases, gasoline and acids, UV and ozone radiation
- 3 earthed sockets with self-closing covers
- with thermal cut-out protection against overheating

Art. No.	cable	length	colour
1169723150	H05VV-F 3G1,5	15 mtr	black



Garant G Multi-Purpose Reel

- reel body made from special plastic, galvanized steel tube frame
- with BS rubber socket 240 V
- highly flexible cable with plug and trailing socket
- with cable guide handle für precision cable management
- with safety cut-out protection

Art. No.	cable	length	dia	plug
1141743015	H05VV-F 3G1,5	25 mtr	240 mm	BS



special Breflex plastic - blue colour galvanized steel tube frame


Garant CEE Cable Reels

Garant 400 V CEE 1 IP44

water-jet protected version for universal outdoor use

- 1 CEE-plug 400 V / 16 A
- 1 CEE socket 400 V / 16 A
- earthed sockets connected to separate phases
- reel body made from special Breflex plastic on a galvanized frame
- with 3-pin safety cut-out and thermal overload protection
- ergonomic handle and axle for precision cable management

available with 2-way 230V / 16A or 240V / 13A socket outlets with self-closing dust covers



Art. No.	Art. No.	cable	length	dia
1237990	1182773	H07RN-F 5G2,5	20 mtr	320 mm
		AT-N07V3V3-F 5G1,5 flexible, UV & Oil resistant	25 mtr	290 mm
1237980		H07RN-F 5G2,5	30 mtr	320 mm
1182720		H07RN-F 5G1,5	30 mtr	290 mm
1182730		H05VV-F 5G1,5	30 mtr	290 mm



special Breflex plastic, galvanized frame



Garant 230 V CEE 2 IP 44

water-jet protected version for universal outdoor use

- 1 CEE-plug 230 V / 16 A
- 2 CEE sockets 230 V / 16 A
- reel body made from special Breflex plastic, on a galvanized frame
- with single pole safety cut-off and overheating protection
- ergonomic handle and axle for precision cable management



Art. No.	Art. No.	cable	length	dia
1193200	1193203	H07RN-F 5G2,5	25 mtr	320 mm

galvanized steel body and frame



Garant 110 V CEE 2

for every requirement and use

- 2 CEE sockets 110 V / 16 A
- reel body made of special break resistant Breflex rubber
- robust, galvanized steel tube frame
- with cable guide handle für precision cable management
- with safety cut-out protection



Art. No.	Art. No.	cable	length	dia
1148773	1148853	H05VV-F 3G1,5	25 mtr	240 mm
1138873	1148863	H05VV-F 3G1,5	50 mtr	290 mm
1131953		H05VV-F 3G2,5	25 mtr	240 mm

special Breflex plastic, galvanized frame



with BRETEC anti twist cable system



Industrial Cable Reels - Schuko brennenstuhl®



KISTENMACHER Cable Reel

- cable reel body made of rust-resistant and galvanized steel
- with 4 x Schuko socket outlets with self-closing cover providing protection against dust and contamination
- ergonomic handle and axle for precision cable management when winding and unwinding
- with safety cut-out protection



Art. No.	cable	length	dia
1198067	H05VV-F 3G1,5	25 mtr	240 mm
1195067	H05VV-F 3G1,5	50 mtr	240 mm



galvanised steel body

Garant Cable Reel

- with 4 x Schuko socket outlets with self-closing cover providing protection against dust and contamination
- ergonomic handle and axle for precision cable management when winding and unwinding
- galvanised steel frame
- with safety cut-out protection



Art. No.	cable	length	dia
1195056	H05VV-F 3G1,5	25 mtr	290 mm
1195066	H05VV-F 3G1,5	50 mtr	290 mm



galvanised steel body

Art. No.	cable	length	dia
1215056	H05VV-F 3G1,5	25 mtr	240 mm
1205066	H05VV-F 3G1,5	50 mtr	290 mm



break-resistant plastic body

Garant Bretec Cable Reel

with the unique Bretec anti cable twist system

- with 4 x Schuko socket outlets with self-closing cover providing protection against dust and contamination
- ergonomic handle and axle for precision cable management when winding and unwinding
- with safety cut-out protection





Art. No.	cable	length	dia
1208850	H05VV-F 3G1,5	25 mtr	240 mm
1208860	H05VV-F 3G1,5	50 mtr	290 mm




break-resistant plastic body

The one has got a Bretec;
the other's got a mess.



without Bretec



with Bretec

Industrial Cable Reels - Schuko



Vario Line Cable Box

- robust casing, made of special plastic
- with 4 x Schuko socket outlets
- practical carrying handle
- twin feet ensure excellent stability
- with safety cut-out
- with childproof sockets



black / grey black / blue / grey black / blue / grey black / blue / grey

Art. No.	cable	length	colour
1092200	H05VV-F 3G1,5	5 mtr	black / grey
1093200	H05VV-F 3G1,5	10 mtr	black / grey
1093230	H05VV-F 3G1,5	10 mtr	black / blue / grey
1094200	H05VV-F 3G1,5	15 mtr	black / grey
1095450	H05VV-F 3G1,5	10 mtr	black / grey
1095650	H05VV-F 3G1,5	10 mtr	black / grey

with dust covers and illuminated



break-resistant plastic body

Comfort Line Cable Box CL-S

- ergonomic design with a functional and practical rewind ring for easy handling
- with 4 x Schuko socket outlets
- with safety cut-out
- with childproof sockets



Art. No.	cable	length	colour
1109220	H05VV-F 3G1,5	3 mtr	black / white
1109230	H05VV-F 3G1,5	3 mtr	black / blue



break-resistant plastic body

Compact Cable Reel

- reel body made from break-resistant plastic, galvanized steel tube frame
- with 4 x Schuko socket outlets
- portable and light - lots of cable taking up little space
- with safety cut-out protection
- with childproof sockets



Art. No.	cable	length	dia
1079180004	H05VV-F 3G1,5	15 mtr	180 mm



break-resistant plastic body

Garant Garden Cable Reels



Garant G Multi-Purpose Reel FP 20

- reel body made from special plastic, galvanized steel tube frame
- highly flexible cable with 16A Schuko plug and trailing socket
- with cable guide handle für precision cable management
- with safety cut-out protection



Art. No.	cable	length	dia
1141740	H05VV-F 3G1,25	25 mtr	240 mm



special plastic, galvanized frame

Garant G IP44 Garden Cable Reel with rewind system

- with 16 A Schuko plug and socket
- with cable pilot handle für precision cable management
- with safety cut-out protection
- extremely sturdy, very flexible to -35°C, UV- and oil resistant and extremely non-abrasive cable



Art. No.	cable	length	dia
1148370	flexible, UV & Oil resistant	23 mtr	240 mm
1188470	flexible, UV & Oil resistant	38 mtr	290 mm



special BREMAXX plastic, galvanized frame



Extension cables

**Extension Cables - 240 V
with rubberized socket 13 A**



Art. No.	PU	cable	length	colour	nomial current
1166553015	10	05VV-F 3G1,5	2 m	white	13A
1166563015	10	05VV-F 3G1,5	3 m	white	13A
1166573015	10	05VV-F 3G1,5	5 m	white	13A
1166503015	10	05VV-F 3G1,5	14 m	blue	13A
1166543015	10	05VV-F 3G1,5	25 m	blue	13A

**CEE Extension Cable IP 44, black
for universal outdoor use and permanent use on sites, IP 44**

- ideal for hard outdoor use
- special rubber extension cable with CEE-socket and plug with cap



Art. No.	cable	cable quality	length	plug	socket
1 16771 0	H07RN-F 3G1,5	Rubber-Neoprene	10 m	CEE 400 V/16 A	CEE 400 V/16 A
1 16773 0	H07RN-F 3G1,5	Rubber-Neoprene	30 m	CEE 400 V/16 A	CEE 400 V/16 A

Quality Plastic Extension Cables - SCHUKO Plug



Art. No.	PU	cable	length	colour	nomial current
1168120015	10	H05VV-F 3x1,5	2 m	white	16 A
1165010015	10	H05VV-F 3x1,5	2 m	black	16 A
1 16843 0	10	H05VV-F 3x1,5	3 m	white	16 A
1 16543 0	10	H05VV-F 3x1,5	3 m	black	16 A
1 16844 0	10	H05VV-F 3x1,5	5 m	white	16 A
1 16544 0	10	H05VV-F 3x1,5	5 m	black	16 A

Quality Plastic Extension Cables - SCHUKO Plug



Art. No.	PU	cable	length	colour	nomial current
1 16846 0	5	H05VV-F 3x1,5	10 m	white	16 A
1 16746 0	5	H05VV-F 3x1,5	10 m	red	16 A
1 16546 0	5	H05VV-F 3x1,5	10 m	black	16 A
1 16747 0	4	H05VV-F 3x1,5	25 m	red	16 A
1 16548 0	4	H05VV-F 3x1,5	25 m	black	16 A
1 16147 0 (IP 44)	3	H05RR-F 3x1,5	25 m	black	16 A

Extension Cables - CEE 110 V



Art. No.	PU	cable	length	colour	nomial current
1166463	10	H05VV-F 3G1,5	14 m	yellow	110 V/16 A
1168463	10	H05VV-F 3G2,5	14 m	yellow	110 V/16 A