

Industrial Accessories



Piano Hinges

size 32 x 0.6 mm, in lengths of 3500 mm,
100 lengths per case


Art. No.: 3206 K	iron brass-colour painted (khaki)
Art. No.: 3206 K/3480	iron brass-colour painted (khaki) lengths of 3480 mm
Art. No.: 3206 M	iron brass plated
Art. No.: 3206 N	nickel plated
Art. No.: 3206 S	stainless steel



Slotted U-Rails

size: 6 x 16 x 0.6 x 3500 mm,
distance of holes 98 mm
100 pcs. per carton


Art. No.: 11059	brassed
Art. No.: 11058	nickel plated



Brackets, 16 mm for slotted U-Rails

300 pcs. per carton

Art. No.: 11034	brassed
Art. No.: 11033	nickel plated



Threaded Rods

grad 4,8, zinc plated, DIN 975
raw material: mild steel grade Q195/Q235,
packed in bundles of abt. 20 kg

size (mm)	Art. No. 1 m length	Art. No. 2 m length	Art. No. 3 m length	Art. No. 4 m length
M 6	EGK M06x1MTRS	EGK M06x2MTRS	EGK M06x3MTRS	EGK M06x4MTRS
M 8	EGK M08x1MTRS	EGK M08x2MTRS	EGK M08x3MTRS	EGK M08x4MTRS
M 10	EGK M10x1MTRS	EGK M10x2MTRS	EGK M10x3MTRS	EGK M10x4MTRS
M 12	EGK M12x1MTRS	EGK M12x2MTRS	EGK M12x3MTRS	EGK M12x4MTRS
M 14	EGK M14x1MTRS	EGK M14x2MTRS	EGK M14x3MTRS	EGK M14x4MTRS
M 16	EGK M16x1MTRS	EGK M16x2MTRS	EGK M16x3MTRS	EGK M16x4MTRS
M 18	EGK M18x1MTRS	EGK M18x2MTRS	EGK M18x3MTRS	EGK M18x4MTRS
M 20	EGK M20x1MTRS	EGK M20x2MTRS	EGK M20x3MTRS	EGK M20x4MTRS
M 22	EGK M22x1MTRS	EGK M22x2MTRS	EGK M22x3MTRS	EGK M22x4MTRS
M 24	EGK M24x1MTRS	EGK M24x2MTRS	EGK M24x3MTRS	EGK M24x4MTRS



Lead Sheets

made of Pb99,94 Cu, acc. to DIN 59610 EN 12588,
packed in rolls of 50 kg, each 20 rolls on a pallet,
wrapped with shrinkfoil, width 1000 mm

Art. No.	size (mm)	length (mm)
12.050	1.0	4400
12.062	1.5	2900
12.065	2.0	2200
12.068	2.5	1750
12.070	3.0	1500



Spanning and Sealing Machines



GEWA brand Spanning and Sealing Machines

body made of high-grade steel

a) Model SIMPLEX I - incl. 1 knife only

Art. No.	range (inch - mm)
76170 0012	1/2 - 13
76170 0058	5/8 - 16
76170 0034	3/4 - 19




b) Model SIMPLEX II - with 3 knives

Art. No.	range (inch)
76172 0000	1/2 - 5/8 - 3/4

Model FAVORIT 100

- adjustable for 3 band width
- no-seal joint for steel strap
- can be used with all kind of high-quality steel bands
- thickness 0,5 mm, band guiding with ring marking

Art. No.	range (inch)
F100	1/2 - 5/8 - 3/4



Model FAVORIT 2000

- no-seal joint for steel strap
- can be used with all kind of high-quality steel bands
- thickness 0,38/0,60 mm

Art. No.	range (inch - mm)
F2000-13	1/2 - 13
F2000-16	5/8 - 16
F2000-19	3/4 - 19



Fixing Material

Sealing Clips - Coppered Finish

length 25 mm, thickness 0,35/0,50 mm
1000 pcs per box

Art. No.	size (inch/mm)
76175 2512	1/2 - 13
76175 2558	5/8 - 16
76175 2534	3/4 - 19



Sealing clips - Iron Bright Finish

length 25 mm, thickness 0,50 mm
1000 pcs per box

Art. No.	size (inch/mm)
76175 2512B	1/2 - 13
76175 2558B	5/8 - 16
76175 2534B	3/4 - 19



Sealing Clips - Bright Galvanized Finish

size: 32 x 57 x 0,80 mm
200 pcs per box



Art. No.	range (inch)
76175 32114	1.1/4 - 3/2

Steel Straps

bright, cold-rolled,
thickness 0,50 mm
in rings of 15,0 kg
2 rings each bundled

Art. No.	size (inch/mm)
76180 0012	1/2 - 13
76180 0058	5/8 - 16
76180 0034	3/4 - 19



Lead Seals

Pb940R EN 12659

Art. No. in bags of 1 Kg	dia mm
753080	8
753100	10
753120	12
753140	14
753160	16



Art. No. in	dia mm
751100	10
751120	12

Lead Sealing Pliers

with straight handles

- a) polished
- b) nickel-plated with blue coated handles



Wire for Lead Seals on Spools

galvanized, size 0.50/0.30 mm

Art. No.	g / spool	meter / spool
1115030-05	250	96
1115030-06	500	193
1115030-07	1000	385



Art No. polished	Art No. w/blue handle	length (mm)	punch dia mm
25/0000	25/0000 bl	130	8.0
25/000	25/000 bl	150	9.0
25/00	25/00 bl	170	10.0
25/0A	25/0A bl	190	11.0
25/0B	25/0B bl	220	12.0